

HCIL(NGH)-ENV-F-101/2020/ 576

The Member Secretary
M.P. Pollution Control Board
Paryavaran Parishar,
E-5, Arera Colony, Bhopal – 462016

Diamond Cements
Prop: HeidelbergCement India Limited
CIN: L26942HR1958FLC042301

Village and P. O. Narsingarh
District Damoh, M.P. 470 675,
India
Phone +91-07601-241301, 02 & 05
Fax +91-07601-241235

Sep 04, 2020

Sub.: Monthly Environmental Monitoring Reports for Aug 2020

Sir,

Please find enclosed herewith the Environmental Monitoring Report of the following for the month of **Aug 2020**

S. No.	Name of Plant / Mines	Monitoring Details
1.	Clinkerisation Unit, Narsingarh (including WHRPP)	Ambient Air Quality Monitoring including Ambient Noise Monitoring, Stack Monitoring, D.G. Set, STP Water Quality Analysis Report, ETP Water Quality Analysis Report, Performance of ESPs & Bag Houses, Energy meter reading, Online monitoring data of CAAQMS.
2.	Grinding Unit, Imlai	Ambient Air Quality Monitoring including Ambient Noise Monitoring, Stack Monitoring, D.G. Set, STP Water Quality Analysis Report, Performance of Bag Houses, Energy meter reading and Online monitoring data of CAAQMS.
3.	Lime Stone Mines, Patharia	Ambient Air Quality Monitoring including Ambient Noise Monitoring, Stack Monitoring, Water, Waste water Quality Analysis Report and Online monitoring data of CAAQMS.

This is submitted for your kind perusal please.

Thanking you,

Yours faithfully,
For Diamond Cements
(Prop.: HeidelbergCement India Ltd.)

Sandeep
Sandeep Kumar Tiwari
Manager – Environment

Encl: as above

CC: The Zonal Officer (Central),
Central Pollution Control Board, E-5, Link Rd Number 3, Ekant Park, Arera Colony, Bhopal, Madhya Pradesh 462016

CC: The Regional Officer
MP Pollution Control Board, Deen Dayal Nagar, Housing Board Colony, Sagar (MP)

CC: Sr. G.M. Mines – For kind information & record please

CC: VP (T) Imlai – For kind information & record please

CC: Office Copy

**ENVIRONMENTAL MONITORING
REPORT**

of

**M/s Diamond Cements
(Prop. HeidelbergCement India Limited)
Village & Post: Narsingarh,
District : Damoh**

for

August, 2020

Prepared by:



Certificate No.: T-2201

ecoMen

Ecomen Laboratories Pvt. Ltd.

(An approved Laboratory from NABL and MoEF&CC)

Flat No 5-8, 2nd Floor Arif Chamber-V, Sector-H

Aliganj, Lucknow 226024 (U.P)

Phone No.: (+91-522) 2746282; Fax No.:(+91-522) 2745726

E-mail : Ravi.bhargava@gmail.com

ECOMEN LABORATORIES PVT. LTD.

ecoMen
LABORATORIES PVT. LTD.

Flat No. 8, 2nd Floor, Arif Chamber-V, Sector H, Aliganj, Lucknow - 226 024

Phone No. : (91-522) 2746282, 2745726 Telefax No.: (91 - 522) 2745726

E-mail: ravi.bhargava@gmail.com, Website: www.ecomen.in, CIN - U74210UP1989PTC010601, GSTIN : 09AAACE6076H1Z1

An approved Laboratory from Ministry of Environment, Forest and Climate Change, Govt. of India, New Delhi

FORMAT NO. : ECO/QS/D/FORMAT/01

TEST REPORT NO. : ECO LAB/D/A:05-08 & M:05-08/08/20

REV. NO. : 00

ISSUE DATE : 31.08.2020

Month: August. 2020

TEST REPORT OF AMBIENT AIR QUALITY MONITORING

Name of Plant/Mines :

M/s Diamond Cements -Clinkerisation Unit

(Prop. HeidelbergCement India Limited), Narsingarh, Damoh (M.P.)

AAQMS	Date/ Time*	PM _{2.5} ($\mu\text{g}/\text{m}^3$)	PM ₁₀ ($\mu\text{g}/\text{m}^3$)	Time	CO ($\mu\text{g}/\text{m}^3$)	SO ₂ ($\mu\text{g}/\text{m}^3$)	NO ₂ ($\mu\text{g}/\text{m}^3$)
		22.08.2020	23.08.2020		22.08.2020	22.08.2020	22.08.2020
Near Hospital	06.00 am	13.82	25.96	06:00 am to 10:00 am	270	8.58	7.30
				10:00 am to 02:00 pm		7.18	12.14
				02:00 pm to 06:00 pm	300	7.97	7.49
				08:00 pm to 10:00 pm		7.21	9.79
				10:00 pm to 02:00 am	320	7.18	7.30
				02:00 am to 06:00 am		8.93	12.11
				Average Value	297	7.50	9.36
Near Gate of Mine Pit No.1	06.00 am	18.77	31.88	06:20 am to 10:20 am	280	8.99	12.20
				10:20 am to 02:20 pm		7.81	7.34
				02:20 pm to 06:20 pm	300	7.38	10.01
				06:20 pm to 10:20 pm		8.90	7.25
				10:20 pm to 02:20 am	340	8.95	9.71
				02:20 am to 06:20 am		7.19	7.32
				Average Value	307	8.20	8.97
Near STP Area	06.00 am	17.47	29.43	06:40 am to 10:40 am	290	8.95	9.71
				10:40 am to 02:40 pm		8.37	9.74
				02:40 pm to 06:40 pm	320	8.95	12.14
				06:40 pm to 10:40 pm		8.16	7.67
				10:40 pm to 02:40 am	310	7.14	9.69
				02:40 am to 06:40 am		8.39	7.32
				Average Value	307	8.33	9.38
Near Worker Colony	08.00 am	14.29	27.54	07:00 am to 11:00 am	310	6.58	12.17
				11:00 am to 03:00 pm		7.79	7.32
				03:00 pm to 07:00 pm	320	7.32	12.42
				07:00 pm to 11:00 pm		7.79	7.32
				11:00 pm to 03:00 am	330	8.88	9.64
				03:20 am to 07:00 am		7.79	9.76
				Average Value	320	7.89	9.77

Air (Ambient Standard) - The Environment (Protection) Rules, 1986 [NAAQMS]							
S.NO.	Standard	Time	PM 2.5	PM 10	SO2	NO2	CO
1	($\mu\text{g}/\text{m}^3$)	24 hours	60	100	80	80	2000
2		Annual	40	60	50	40	-

* Time mentioned above is the initial Time of Sampling.

SO₂ BDL < 4.0 ($\mu\text{g}/\text{m}^3$) and NO₂ BDL < 6.1 ($\mu\text{g}/\text{m}^3$)

Checked by

Page No. 1

Authorized Signatory
Ecomen Laboratories Pvt. Ltd.
Flat No.-8, 2nd Floor, Arif Chamber-V
Sector-H, Aliganj, Lucknow-226024
Ph.-2746282, Fax:2745726

ECOMEN LABORATORIES PVT. LTD.

ecomen
LABORATORIES PVT. LTD.

Flat No. 8, 2nd Floor, Arif Chamber-V, Sector H, Aliganj, Lucknow - 226 024

Phone No. : (91-522) 2746282, 2745726 Telefax No.: (91 - 522) 2745726

E-mail: ravi.bhargava@gmail.com, Website: www.ecomen.in, CIN - U74210UP1989PTC010601, GSTIN : 09AAACE6076H1ZI

An approved Laboratory from Ministry of Environment, Forest and Climate Change, Govt. of India, New Delhi

FORMAT NO. : ECO/QS/D/FORMAT/01
REV. NO. : 00

TEST REPORT NO. : ECO LAB/D/A:09-12 & M:09-12/08/20
ISSUE DATE : 31.08.2020

Month: August. 2020

TEST REPORT OF AMBIENT AIR QUALITY MONITORING

Name of Plant/Mines :

M/s Diamond Cements -Grinding Unit
(Prop. HeidelbergCement India Limited), Imlai, Damoh (M.P.)

AAQMS	Date/ Time*	PM _{2.5} (µg/m ³)		Time	CO (µg/m ³)		SO ₂ (µg/m ³)		NO ₂ (µg/m ³)	
		10.08.2020	11.08.2020		11.08.2020	11.08.2020	11.08.2020	11.08.2020		
Near Admin Bld.	06.00 am	12.33	25.07	08:00 am to 10:00 am	300	6.56	12.14			
				10:00 am to 02:00 pm		6.53	9.67			
				02:00 pm to 06:00 pm	310	7.34	7.47			
				06:00 pm to 10:00 pm		5.88	11.96			
				10:00 pm to 02:00 am	350	6.86	7.16			
				02:00 am to 06:00 am		6.56	9.71			
				Average Value	320	6.62	9.69			
Near Water Storage Tank (Behind D.G. Set)	06.00 am	15.25	30.12	08:20 am to 10:20 am	320	8.27	9.62			
				10:20 am to 02:20 pm		9.57	7.30			
				02:20 pm to 06:20 pm	330	8.48	12.36			
				06:20 pm to 10:20 pm		7.14	9.89			
				10:20 pm to 02:20 am	300	9.47	7.23			
				02:20 am to 06:20 am		7.66	9.60			
				Average Value	317	8.43	9.30			
Near Railway Sliding	06.00 am	17.99	33.54	06:40 am to 10:40 am	320	7.29	9.64			
				10:40 am to 02:40 pm		6.48	7.20			
				02:40 pm to 06:40 pm	350	8.95	9.71			
				06:40 pm to 10:40 pm		7.64	10.08			
				10:40 pm to 02:40 am	360	8.39	12.20			
				02:40 am to 06:40 am		8.95	9.71			
				Average Value	343	7.95	9.78			
Near Worker Colony	06.00 am	11.48	21.56	07:00 am to 11:00 am	280	6.15	7.11			
				11:00 am to 03:00 pm		7.66	9.60			
				03:00 pm to 07:00 pm	320	8.11	7.26			
				07:00 pm to 11:00 pm		7.75	9.71			
				11:00 pm to 03:00 am	250	7.72	12.08			
				03:20 am to 07:00 am		7.23	9.57			
				Average Value	283	7.80	9.22			

Air (Ambient Standard) - The Environment (Protection) Rules,1986 [NAAQMS]							
S.NO.	Standard	Time	PM 2.5	PM 10	SO2	NO2	CO
1	(µg/m ³)	24 hours	60	100	80	80	2000
2		Annual	40	60	50	40	-

* Time mentioned above is the initial Time of Sampling.

SO₂ BDL < 4.0 (µg/m³) and NO₂ BDL < 6.1 (µg/m³)

Checked by

Authorized Signatory

ECOMEN LABORATORIES PVT. LTD.



Flat No. 8, 2nd Floor, Arif Chamber-V, Sector H, Aliganj, Lucknow - 226 024

Phone No. : (91-522) 2746282, 2745726 Telefax No.: (91 - 522) 2745726

E-mail: ravi.bhargava@gmail.com, Website: www.ecomen.in, CIN - U74210UP1989PTC010601, GSTIN : 09AAACE6076H1Z1

An approved Laboratory from Ministry of Environment, Forest and Climate Change, Govt. of India, New Delhi

FORMAT NO. : ECO/QS/D/FORMAT/01
REV. NO. : 00

TEST REPORT NO. : ECO LAB/O/A:01-04 & M:01-04/08/20
ISSUE DATE : 31.08.2020

Month: August, 2020

TEST REPORT OF AMBIENT AIR QUALITY MONITORING

Name of Plant/Mines :

Lime Stone Mines, Patharia-Diamond Cements
(Prop. HeidelbergCement India Limited), Damoh (M.P.)

AAQMS	Date/ Time*	PM _{2.5} (µg/m ³)		Time	CO (µg/m ³)		
		01.08.2020	02.08.2020		02.08.2020	02.08.2020	02.08.2020
Near Main Office	06.00 am	13.65	27.76	06:00 am to 10:00 am	260	6.40	9.48
				10:00 am to 02:00 pm		7.05	11.96
				02:00 pm to 06:00 pm	270	7.72	12.08
				06:00 pm to 10:00 pm		7.25	7.20
				10:00 pm to 02:00 am	320	5.92	9.89
				02:00 am to 06:00 am		6.56	9.71
				Average Value	283	6.82	10.05
Near Back Filling Area	06.00 am	16.48	30.30	06:20 am to 10:20 am	240	6.53	12.08
				10:20 am to 02:20 pm		8.33	9.89
				02:20 pm to 06:20 pm	300	8.35	10.50
				06:20 pm to 10:20 pm		7.72	9.87
				10:20 pm to 02:20 am	310	7.05	7.18
				02:20 am to 06:20 am		7.07	7.20
				Average Value	283	7.51	9.39
Near Mine Pit	06.00 am	19.34	32.86	06:40 am to 10:40 am	320	8.97	12.17
				10:40 am to 02:40 pm		8.52	9.67
				02:40 pm to 06:40 pm	340	6.35	9.71
				06:40 pm to 10:40 pm		7.72	7.44
				10:40 pm to 02:40 am	330	7.64	9.57
				02:40 am to 06:40 am		7.14	12.11
				Average Value	330	8.06	10.11
Near Temple	06.00 am	16.70	26.76	07:00 am to 11:00 am	210	7.16	9.71
				11:00 am to 03:00 pm		7.77	9.74
				03:00 pm to 07:00 pm	280	7.70	7.23
				07:00 pm to 11:00 pm		7.44	7.78
				11:00 pm to 03:00 am	250	8.35	12.14
				03:20 am to 07:00 am		7.10	9.64
				Average Value	240	7.59	9.38

Air (Ambient Standard) - The Environment (Protection) Rules, 1986 [NAA(QMS)]							
S.NO.	Standard	Time	PM 2.5	PM 10	SO2	NO ₂	CO
1	(µg/m ³)	24 hours	60	100	80	60	2000
2		Annual	40	60	50	40	-

* Time mentioned above is the initial Time of Sampling.

SO₂ BDL < 4.0 (µg/m³) and NO₂ BDL < 6.1 (µg/m³)

Abhinav
Checked by

Authorized Signatory

Ecomen Laboratories Pvt. Ltd.
Flat No.-8, 2nd Floor, Arif Chamber-V
Sector-H, Aliganj, Lucknow-226024
Ph.-2746282, Fax:2745726

ECOMEN LABORATORIES PVT. LTD.

ecoMen
LABORATORIES PVT. LTD.

Flat No. 8, 2nd Floor, Arif Chamber-V, Sector H, Aliganj, Lucknow - 226 024

Phone No. : (91-522) 2746282, 2745726 Telefax No.: (91 - 522) 2745726

E-mail: ravi.bhargava@gmail.com, Website: www.ecomen.in, CIN - U74210UP1989PTC010601, GSTIN : 09AAACE6076H1ZI

An approved Laboratory from Ministry of Environment, Forest and Climate Change, Govt. of India, New Delhi

FORMAT NO. : ECO/QS/D/FORMAT/01
REV. NO. : 00

TEST REPORT NO. : ECO LAB/D/A:13-16 & M:13-16/08/20
ISSUE DATE : 31.08.2020

Month: August 2020

TEST REPORT OF AMBIENT AIR QUALITY MONITORING

Name of Plant/Mines :

Lime Stone Mines, Patharia-Diamond Cements
(Prop. HeidelbergCement India Limited), Damoh (M.P.)

AAQMS	Date/ Time*	PM _{2.5} ($\mu\text{g}/\text{m}^3$)	PM ₁₀ ($\mu\text{g}/\text{m}^3$)	Time	CO ($\mu\text{g}/\text{m}^3$)	SO ₂ ($\mu\text{g}/\text{m}^3$)	NO ₂ ($\mu\text{g}/\text{m}^3$)
		25.08.2020	24.08.2020		24.08.2020	24.08.2020	24.08.2020
Near Main Office	06.00 am	12.74	22.26	06:00 am to 10:00 am	230	7.12	7.25
				10:00 am to 02:00 pm		6.56	9.71
				02:00 pm to 06:00 pm	250	8.39	12.85
				06:00 pm to 10:00 pm		7.16	9.71
				10:00 pm to 02:00 am	260	7.25	9.60
				02:00 am to 06:00 am		7.58	7.13
				Average Value	247	7.35	9.37
Near Back Filling Area	06.00 am	19.71	28.53	06:20 am to 10:20 am	250	7.70	12.05
				10:20 am to 02:20 pm		7.66	11.99
				02:20 pm to 06:20 pm	300	7.10	10.15
				06:20 pm to 10:20 pm		7.09	9.62
				10:20 pm to 02:20 am	270	7.66	9.60
				02:20 am to 06:20 am		7.95	9.71
				Average Value	273	7.53	10.52
Near Mine Pit	06.00 am	20.77	26.65	06:40 am to 10:40 am	300	7.91	12.08
				10:40 am to 02:40 pm		7.16	7.29
				02:40 pm to 06:40 pm	310	7.19	12.20
				06:40 pm to 10:40 pm		6.95	7.29
				10:40 pm to 02:40 am	320	8.29	9.64
				02:40 am to 06:40 am		6.25	7.20
				Average Value	310	7.96	9.28
Near Temple	06.00 am	14.72	20.51	07:00 am to 11:00 am	260	7.75	12.45
				11:00 am to 03:00 pm		8.39	7.32
				03:00 pm to 07:00 pm	270	8.82	7.18
				07:00 pm to 11:00 pm		8.50	10.15
				11:00 pm to 03:00 am	250	7.64	11.96
				03:20 am to 07:00 am		6.35	7.29
				Average Value	260	8.24	9.39

Air (Ambient Standard) - The Environment (Protection) Rules, 1986 [NAAQMS]							
S.NO.	Standard	Time	PM 2.5	PM 10	SO2	NO2	CO
1	($\mu\text{g}/\text{m}^3$)	24 hours	60	100	60	80	2000
2		Annual	40	60	50	40	-

* Time mentioned above is the initial Time of Sampling.

SO₂ BDL < 4.0 ($\mu\text{g}/\text{m}^3$) and NO₂ BDL < 6.1 ($\mu\text{g}/\text{m}^3$)

Checked by

Page No. 4

Authorized Signatory
Ecomen Laboratories Pvt. Ltd.
Flat No.-8, 2nd Floor, Arif Chamber-V
Sector-H, Aliganj, Lucknow-226024
Ph.-2746282, Fax:2745726

ECOMEN LABORATORIES PVT. LTD.

ecoMen
LABORATORIES PVT. LTD.

Flat No. 8, 2nd Floor, Arif Chamber-V, Sector H, Aliganj, Lucknow - 226 024

Phone No. : (91-522) 2746282, 2745726 Telefax No.: (91 - 522) 2745726

E-mail: ravi.bhargava@gmail.com, Website: www.ecomen.in, CIN - U74210UP1989PTC010601, GSTIN : 09AAACE6076H1Z1

An approved Laboratory from Ministry of Environment, Forest and Climate Change, Govt. of India, New Delhi

FORMAT NO. : ECO/QS/D/FQRMAT/02
REV. NO. : 00

TEST REPORT NO. : ECO LAB/D/N:01/08/20
ISSUE DATE: 31.08.2020

Month: August : 2020


TEST REPORT OF AMBIENT NOISE MONITORING

Name of Plant/Mines : M/s Diamond Cements - Clinkersiation -Clinkersiation Unit
(Prop Heidelberg Cement India Limited), Narsingarh, Damoh (M.P.)

Date of Monitoring : 11.08.2020

Sl. No.	Location	Leq Value in dB(A)	
		Day Time	Night Time
1.	Near Hospital	53.4	44.3
2.	Near Gate of Mine Pit No.1	60.2	56.1
3.	Near STP Area	52.3	47.9
4.	Near Worker Colony	47.9	43.4


Checked by


Authorized Signatory
Ecomen Laboratories Pvt. Ltd.
Flat No.-8, 2nd Floor, Arif Chamber-V
Sector H, Aliganj, Lucknow-226024
Ph: 2746282, Fax:2745726

Noise (Ambient Standard) - Noise Pollution (Prevention & Control Rule 2000)

Area Code	Category of area	Limit in dB (A) Leq	
		Day Time	Night Time
A	Industrial Area	75	70
B	Commercial Area	65	55
C	Residential Area	55	45
D	Silence Zone	50	40

Note:

1	Day time is reckoned in between 6:00 AM and 10:00 PM.
2	Night time is reckoned in between 10:00 PM and 6:00 AM
3	Silence zone is defined as area up to 100m around such premises as hospitals, educational institutions & courts. The silence zones are to be declared by a competent authority.
4	Mixed categories of areas should be declared as one of the four above-mentioned categories by the competent authority and the corresponding standard shall apply.

ECOMEN LABORATORIES PVT. LTD.



Flat No. 8, 2nd Floor, Arif Chamber-V, Sector H, Aliganj, Lucknow - 226 024

Phone No. : (91-522) 2746282, 2745726 Telefax No.: (91 - 522) 2745726

E-mail: ravi.bhargava@gmail.com, Website: www.ecomen.in, CIN - U74210UP1989PTC010601, GSTIN : 09AAACE6076H1ZI

An approved Laboratory from Ministry of Environment, Forest and Climate Change, Govt. of India, New Delhi

FORMAT NO. : ECO/QS/D/FORMAT/02
REV. NO. : 00

TEST REPORT NO. : ECO LAB/D/N:02/08/20
ISSUE DATE: 31.08.2020

Month: August : 2020

TEST REPORT OF AMBIENT NOISE MONITORING

Name of Plant/Mines : M/s Diamond Cements -Grinding Unit
(Prop. Heidelberg Cement India Limited), Imlai, Damoh (M.P.)

Date of Monitoring : 25.08.2020

Sl. No.	Location	Leq Value in dB(A)	
		Day Time	Night Time
1.	Near ADM Bld.	58.2	50.3
2.	Near Worker Colony	51.3	43.8
3.	Near Railway Siding	63.7	57.9
4.	Near Water Storage Tank (Behind D.G.Set)	60.8	55.4

Checked by

Authorized Signatory

Ecomen Laboratories Pvt. Ltd.
Flat No.-8, 2nd Floor, Arif Chamber-V
Sector H, Aliganj, Lucknow-226024
Phone: 2746282, Fax:2745726

Noise (Ambient Standard) - Noise Pollution (Prevention & Control Rule 2000)

Area Code	Category of area	Limit in dB (A) Leq	
		Day Time	Night Time
A	Industrial Area	75	70
B	Commercial Area	65	55
C	Residential Area	55	45
D	Silence Zone	50	40

Note:

1	Day time is reckoned in between 6:00 AM and 10:00 PM.
2	Night time is reckoned in between 10:00 PM and 6:00 AM
3	Silence zone is defined as area up to 100m around such premises as hospitals, educational institutions & courts. The silence zones are to be declared by a competent authority.
4	Mixed categories of areas should be declared as one of the four above-mentioned categories by the competent authority and the corresponding standard shall apply.

ECOMEN LABORATORIES PVT. LTD.

ecoMen
LABORATORIES PVT. LTD.

Flat No. 8, 2nd Floor, Arif Chamber-V, Sector H, Aliganj, Lucknow - 226 024

Phone No. : (91-522) 2746282, 2745726 Telefax No.: (91 - 522) 2745726

E-mail: ravi.bhargava@gmail.com, Website: www.ecomen.in, CIN - U74210UP1989PTC010601, GSTIN : 09AAACE6076H1Z1

An approved Laboratory from Ministry of Environment, Forest and Climate Change, Govt. of India, New Delhi

FORMAT NO. : ECO/QS/D/FORMAT/02
REV. NO. : 00

TEST REPORT NO. : ECO LAB/D/N:03/08/20
ISSUE DATE: 31.08.2020

Month: August : 2020


TEST REPORT OF AMBIENT NOISE MONITORING

Name of Plant/Mines : Lime Stone Mines, Patharia- Diamond Cements
(Prop. Heidelberg Cement India Limited), Damoh (M.P.)

Date of Monitoring : 24.08.2020

Sl. No.	Location	Leq Value in dB(A)	
		Day Time	Night Time
1.	Near Main Office	65.2	54.2
2.	Near Back Filling Area	53.7	49.2
3.	Near Mine Pit	61.8	57.5
4.	Near Temple	63.4	52.4


Checked by


Authorized Signatory
Ecomen Laboratories Pvt. Ltd.
Flat No.-8, 2nd Floor, Arif Chamber-V
Sector-H, Aliganj, Lucknow-226024
T:-2746282, Fax:2745726

Noise (Ambient Standard) - Noise Pollution (Prevention & Control Rule 2000)

Area Code	Category of area	Limit in dB (A) Leq	
		Day Time	Night Time
A	Industrial Area	75	70
B	Commercial Area	65	55
C	Residential Area	55	45
D	Silence Zone	50	40

Note:

1	Day time is reckoned in between 6:00 AM and 10:00 PM.
2	Night time is reckoned in between 10:00 PM and 6:00 AM
3	Silence zone is defined as area up to 100m around such premises as hospitals, educational institutions & courts. The silence zones are to be declared by a competent authority.
4	Mixed categories of areas should be declared as one of the four above-mentioned categories by the competent authority and the corresponding standard shall apply.

ECOMEN LABORATORIES PVT. LTD.

ecoMen
LABORATORIES PVT. LTD.

Flat No. 8, 2nd Floor, Arif Chamber-V, Sector H, Aliganj, Lucknow - 226 024

Phone No. : (91-522) 2746282, 2745726 Telefax No.: (91 - 522) 2745726

E-mail: ravi.bhargava@gmail.com, Website: www.ecomen.in, CIN - U74210UP1989PTC010601, GSTIN : 09AAACE6076H1Z1

An approved Laboratory from Ministry of Environment, Forest and Climate Change, Govt. of India, New Delhi

FORMAT NO. : ECO/QS/D/FORMAT/03
REV. NO. : 00

TEST REPORT NO. : ECO LAB/D/S:01,06 & 08/08/20
ISSUE DATE : 31.08.2020

Month: August 2020

TEST REPORT OF STACK MONITORING

Name of Plant/Mines :

M/s Diamond Cements -Clinkerisation Unit
(Prop. HeidelbergCement India Limited), Narsingarh, Damoh (M.P.)

Location	S-1	S-2	S-3
Date of Monitoring	01.08.2020	05.08.2020	10.08.2020
Stack Details			
Material of Construction (Stack/Duct)	M.S.	M.S.	M.S.
Stack Attached to	Coal Mill No-1	Coal Mill No-2	Coal Mill No-3
Name of Air Pollution Control Device	Bag House	Bag House	Bag House
Stack Height above the Groundlevel (m)	30.4	37	72.7
Stack Top	Circular	Circular	Circular
Inside Diameter of Stack (m)	1.45	1.45	2.12
Cross sectional area of Duct/Stack (m ²)	1.65	1.65	3.53
Ambient Temp (°C)	32	30	30
Stack Gas Temp (°C)	60	67	68
Exit Velocity of Gas (m/sec.)	7.01	6.69	11.37
Flow Rate (Nm ³ / sec.)	9.42	8.88	30.25
Lab Testing			
Particulate Matter(PM) (mg/Nm ³) (Isokinetic Samples)	10.6	15.1	12.0


Stack Emission Standard = 30 mg/NM³

* Plant was under Planned shutdown, Hence Stack Monitoring could not be conducted.

Note:

- S-1 : Coal Mill No-1
- S-2 : Coal Mill No-2
- S-3 : Coal Mill No-3

Checked by 


Authorized Signatory
Ecomen Laboratories Pvt. Ltd.
Flat No.-8, 2nd Floor, Arif Chamber-V
Sector-H, Aliganj, Lucknow-226024
Ph.-2746282, Fax:2745726

ECOMEN LABORATORIES PVT. LTD.

ecoMen
LABORATORIES PVT. LTD.

Flat No. 8, 2nd Floor, Arif Chamber-V, Sector H, Aliganj, Lucknow - 226 024

Phone No. : (91-522) 2746282, 2745726 Telefax No.: (91 - 522) 2745726

E-mail: ravi.bhargava@gmail.com, Website: www.ecomen.in, CIN - U74210UP1989PTC010601, GSTIN : 09AAACE6076H1Z1

An approved Laboratory from Ministry of Environment, Forest and Climate Change, Govt. of India, New Delhi

FORMAT NO. : ECO/QS/D/FORMAT/03
REV. NO. : 00

TEST REPORT NO. : ECO LAB/D/S:04,05 & 11/08/20
ISSUE OATE : 31.08.2020

Month: August 2020

TEST REPORT OF STACK MONITORING

Name of Plant/Mines : M/s Diamond Cements -Clinkerisation Unit
(Prop. HeidelbergCement India Limited), Narsingarh, Oamoh (M.P.)

Location	S-4	S-5	S-6	
Date of Monitoring	04.08.2020	04.08.2020	12.08.2020	
Stack Details				
Material of Construction (Stack/Duct)	M.S.	M.S.	M.S.	
Stack Attached to	Kiln / Raw Mill No-1	Kiln / Raw Mill No-2	Kiln / Raw Mill No-3	
Name of Air Pollution Control Device	Hybrid Filter	Hybrid Filter	RABH	
Stack Height above the Groundlevel (m)	76.4	98	110	
Stack Top	Circular	Circular	Circular	
Inside Diameter of Stack (m)	2.4	2.65	4.5	
Cross sectional area of Duct/Stack (m ²)	4.52	5.51	15.90	
Ambient Temp (°C)	30	33	30	
Stack Gas Temp (°C)	122	127	110	
Exit Velocity of Gas (m/sec.)	18.93	19.83	17.67	
Flow Rate (Nm ³ / sec.)	59.2	74.29	190.51	
Test Conducted				
Particulate Matter(PM) (mg/Nm ³) (Isokinetic Samples)	19.1	18.5	13.2	
Oxygen (O ₂) (%)	11.8	10.2	8.5	
Sulphur Dioxide (SO ₂)	(mg/Nm ³)	20.05	14.7	12.6
	at 10 % O ₂ Correction (mg/Nm ³)	24	15	11.1
Nitrogen Dioxides (NOx)	(mg/Nm ³)	375.6	316.1	545.8
	at 10 % O ₂ Correction (mg/Nm ³)	449.1	311.2	480.3
Standard				
PM	-	30 mg/Nm ³		
SO ₂	-	100 mg/Nm ³ at 10 % O ₂		
NOx	-	800 mg/Nm ³ at 10 % O ₂		

Note: * Plant was under Planned shutdown, Hence Stack Monitoring could not be conducted.

S-4 : Kiln / Raw Mill No-1
S-5 : Kiln / Raw Mill No-2
S-6 : Kiln / Raw Mill No-3

Checked by

Page No. 09

Authorized Signatory
Ecomen Laboratories Pvt. Ltd.
Flat No.-8, 2nd Floor, Arif Chamber-V
Sector-H, Aliganj, Lucknow-226024
Ph.-2746282, Fax:2745726

ECOMEN LABORATORIES PVT. LTD.

ecoMen
LABORATORIES PVT. LTD.

Flat No. 8, 2nd Floor, Arif Chamber-V, Sector H, Aliganj, Lucknow - 226 024

Phone No. : (91-522) 2746282, 2745726 Telefax No.: (91 - 522) 2745726

E-mail: ravi.bhargava@gmail.com, Website: www.ecomen.in, CIN - U74210UP1989PTC010601, GSTIN : 09AAACE6076H1Z1

An approved Laboratory from Ministry of Environment, Forest and Climate Change, Govt. of India, New Delhi

FORMAT NO. : ECO/QS/D/FORMAT/03
REV. NO. : 00

TEST REPORT NO. : ECO LAB/D/S:02,09,07 & 19/08/20
ISSUE DATE: : 31.08.2020

Month: August 2020

TEST REPORT OF STACK MONITORING

Name of Plant/Mines : M/s Diamond Cements -Clinkerisation Unit
(Prop. HeidelbergCement India Limited), Narsingarh, Damoh (M.P.)

Location	S-7	S-8	S-9	S-10
Date of Monitoring	01.08.2020	11.08.2020	08.08.2020	28.08.2020
Stack Details				
Material of Construction (Stack/Duct)	M.S.	M.S.	M.S.	M.S.
Stack Attached to	Clinker Cooler No-1	Clinker CoolerNo-2	Clinker Cooler No-3	Crusher
Name of Air Pollution Control Device	ESP	ESP	ESP	Bag House
Stack Height above the Groundlevel (m)	40	44.45	45.6	17
Stack Top	Circular	Circular	Circular	Circular
Inside Diameter of Stack (m)	2.976	3.75	3.75	0.8
Cross sectional area of Duct/Stack (m ²)	6.95	11.05	11.05	0.282
Ambient Temp (°C)	30	30	30	31
Stack Gas Temp (°C)	150	140	152	33
Exit Velocity of Gas (m/sec.)	11.77	7.85	9.87	6.54
Flow Rate (Nm ³ / sec.)	54.3	59.21	71.81	3.02
Particulate Matter(PM) (mg/Nm ³) (Isokinetic Samples)	11.9	17.2	14.8	15.9

Stack Emission Standard = 30 mg/NM3

* Plant was under Planned shutdown, Hence Stack Monitoring could not be conducted.

Note:

S-7 : Clinker Cooler No-1
S-8 : Clinker Cooler No-2
S-9 : Clinker Cooler No-3
S-10 : Crusher


Checked by

Page No. 10


Authorized Signatory
Ecomen Laboratories Pvt. Ltd.
Flat No.-8, 2nd Floor, Arif Chamber-V
Sector-H, Aliganj, Lucknow-226024
Ph.-2746282, Fax:2745726

ECOMEN LABORATORIES PVT. LTD.

ecoMen
LABORATORIES PVT. LTD.

Flat No. 8, 2nd Floor, Arif Chamber-V, Sector H, Aliganj, Lucknow - 226 024

Phone No. : (91-522) 2746282, 2745726 Telefax No.: (91 - 522) 2745726

E-mail: ravi.bhargava@gmail.com, Website: www.ecomen.in, CIN - U74210UP1989PTC010601, GSTIN : 09AAACE6076H1ZI

An approved Laboratory from Ministry of Environment, Forest and Climate Change, Govt. of India, New Delhi

FORMAT NO. : ECO/QS/D/FORMAT/03
REV. NO. : 00

TEST REPORT NO. : ECO LAB/D/S: 14,15 & 03/08/20
ISSUE DATE: : 31.08.2020

Month: August 2020

TEST REPORT OF STACK MONITORING

Name of Plant/Mines : M/s Diamond Cements -Grinding Unit
(Prop. HeidelbergCement India Limited), Imlai, Damoh (M.P.)

Location	S-1	S-2	S-3
Date of Monitoring	19.08.2020	19.08.2020	01.08.2020
Stack Details			
Material of Construction (Stack/Duct)	M.S.	M.S.	M.S.
Stack Attached to	Cement Mill No-1	Cement Mill No-2	Cement Mill No-3
Name of Air Pollution Control Device	Bag House	Bag House	Bag House
Stack Height above the Groundlevel (m)	38	37.5	51
Stack Top	Circular	Circular	Circular
Inside Diameter of Stack (m)	1.45	1.5	1.12
Cross sectional area of Duct/Stack (m ²)	1.65	1.77	0.985
Ambient Temp (°C)	30	30	31
Stack Gas Temp (°C)	69	74	95
Exit Velocity of Gas (m/sec.)	6.67	6.94	16.15
Flow Rate (Nm ³ / sec.)	8.70	9.64	12.19
(Test Conducted)			
Particulate Matter(PM) (mg/Nm ³) (Isokinetic Samples)	9.8	16.2	17.0


Stack Emission Standard = 30 mg/NM³

* Plant was under Planned shutdown, Hence Stack Monitoring could not be conducted.

Note:

S-1 : Cement Mill No-1
S-2 : Cement Mill No-2
S-3 : Cement Mill No-3


Checked by


Authorized Signatory
Ecomen Laboratories Pvt. Ltd.
Flat No.-8, 2nd Floor, Arif Chamber-V
Sector-H, Aliganj, Lucknow-226024
Ph.-2746282, Fax:2745726

ECOMEN LABORATORIES PVT. LTD.

ecoMen
LABORATORIES PVT. LTD.

Flat No. 8, 2nd Floor, Arif Chamber-V, Sector H, Aliganj, Lucknow - 226 024

Phone No. : (91-522) 2746282, 2745726 Telefax No.: (91 - 522) 2745726

E-mail: ravi.bhargava@gmail.com, Website: www.ecomen.in, CIN - U74210UP1989PTC010601, GSTIN : 09AAACE6076H1Z1

An approved Laboratory from Ministry of Environment, Forest and Climate Change, Govt. of India, New Delhi

FORMAT NO. : ECO/QS/D/FORMAT/03
REV. NO. : 00

TEST REPORT NO. : ECO LAB/D/S:18/08/20
ISSUE DATE: : 31.08.2020

Month: August 2020

TEST REPORT OF STACK MONITORING

Name of Plant/Mines : M/s Diamond Cements -Grinding Unit
(Prop. HeidelbergCement India Limited), Imlai, Damoh (M.P.)

Location	S-4
Date of Monitoring	25.08.2020
Stack Details	
Material of Construction (Stack/Duct)	M.S.
Stack Attached to	Packing Plant No-3
Name of Air Pollution Control Device	Bag House
Stack Height above the Groundlevel (m)	30
Stack Top	Circular
Inside Diameter of Stack (m)	1.5
Cross sectional area of Duct/Stack (m ²)	1.77
Ambient Temp (°C)	29
Stack Gas Temp (°C)	37
Exit Velocity of Gas (m/sec.)	22.37
Flow Rate (Nm ³ / sec.)	4.53
(Test Conducted)	
Particulate Matter(PM) (mg/Nm ³) Samples	(Isokinetic) 22.7


Stack Emission Standard = 30 mg/NM³

Note:

S-4 : Packer No-3


Checked by

Page No. 12


Authorized Signatory
Ecomen Laboratories Pvt. Ltd.
Flat No.-8, 2nd Floor, Arif Chamber-V
Sector-H, Aliganj, Lucknow-226024
Ph.-2746282, Fax:2745726

ECOMEN LABORATORIES PVT. LTD.

ecoMen
LABORATORIES PVT. LTD.

Flat No. 8, 2nd Floor, Arif Chamber-V, Sector H, Aliganj, Lucknow - 226 024

Phone No. : (91-522) 2746282, 2745726 Telefax No.: (91 - 522) 2745726

E-mail: ravi.bhargava@gmail.com, Website: www.ecomen.in, CIN - U74210UP1989PTC010601, GSTIN : 09AAACE6076H1Z1

An approved Laboratory from Ministry of Environment, Forest and Climate Change, Govt. of India, New Delhi

FORMAT NO. : ECO/QS/D/FORMAT/03
REV. NO. : 00

TEST REPORT NO. : ECO LAB/D/S:10/08/20
ISSUE DATE: : 31.08.2020

Month: August 2020

TEST REPORT OF STACK MONITORING

Name of Plant/Mines : Lime Stone Mines, Patharia-Diamond Cements
(Prop. HeidelbergCement India Limited), Damoh (M.P.)

Location	S-01
Date of Monitoring	12.08.2020
Stack Details	
Material of Construction (Stack/Duct)	M.S.
Stack Attached to	Crusher
Name of Air Pollution Control Device	Bag House
Stack Height above the Groundlevel (m)	30
Stack Top	Circular
Inside Diameter of Stack (m)	1.5
Cross sectional area of Duct/Stack (m ²)	1.77
Ambient Temp (°C)	27
Stack Gas Temp (°C)	31
Exit Velocity of Gas (m/sec.)	12.05
Flow Rate (Nm ³ / sec.)	19.75
(Test Conducted)	
Particulate Matter(PM) (mg/Nm ³) (Isokinetic Samples)	24.5


Stack Emission Standard = 30 mg/NM³

Note:

S-1 : Crusher


Checked by

Page No. 13


Authorized Signatory
Ecomen-Laboratories Pvt. Ltd.
Flat No.-8, 2nd Floor, Arif Chamber-V
Sector-H, Aliganj, Lucknow-226024
Ph.-2746282, Fax:2745726

ECOMEN LABORATORIES PVT. LTD.

ecoMen
LABORATORIES PVT. LTD.

Flat No. 8, 2nd Floor, Arif Chamber-V, Sector H, Aliganj, Lucknow - 226 024

Phone No. : (91-522) 2746282, 2745726 Telefax No.: (91 - 522) 2745726

E-mail: ravi.bhargava@gmail.com, Website: www.ecomen.in, CIN - U74210UP1989PTC010601, GSTIN : 09AAACE6076H1Z1

An approved Laboratory from Ministry of Environment, Forest and Climate Change, Govt. of India, New Delhi

FORMAT NO. : ECO/QS/D/FORMAT/03
REV. NO. : 00

:ECOLAB/D/S:16,17/08/20
ISSUE DATE: 24.08.2020

Aug-20

TEST REPORT OF STACK MONITORING

Name of Plant/Mines :

M/s Diamond Cements -Clinkerisation Unit
(Prop. HeidelbergCement India Limited), Narsingarh, Damoh (M.P.)

Location	DG Set Near WHR	DG Set Near CCR
Date of Monitoring	22.08.2020	22.08.2020
Stack Details		
Material of Construction (Stack/Duct)	M.S.	M.S.
Stack Attached to	DG Set	DG Set
Capacity (KVA)	500	500
Stack Height above the Groundlevel (m)	30	30
Stack Top	Circular	Circular
Inside Diameter of Stack (m)	0.25	0.25
Cross sectional area of Duct/Stack (m ²)	0.049	0.049
Ambient Temp (°C)	32	31
Stack Gas Temp (°C)	110	142
Exit Velocity of Gas (m/sec.)	6.12	7.61
Flow Rate (Nm ³ / Hr)	788	904
Type of Fuel	HSD	HSD
Quantity of Fuel Consumption (Lit/Hr.)	45	45
Type of Firing	Automatic	Automatic
Lab Tasting		
Test Conducted		
Particulate Matter (PM) mg/Nm ³ (Isokinetic Samples)	25.3	27.6
Nitrogen Dioxide NO ₂ (PPM) V	349.2	461.8
NMHC (as C) (at 15%O ₂), mg/Nm ³	36.9	42.7
Carbon Monoxide CO mg/Nm ³	34.5	41.1

Checked by

Page No. 14

Authorized Signatory

Ecomen Laboratories Pvt. Ltd.
Flat No.-8, 2nd Floor, Arif Chamber-V
Sector-H, Aliganj, Lucknow-226024
Ph.-2746282, Fax:2745726

ECOMEN LABORATORIES PVT. LTD.

ecoMen
LABORATORIES PVT. LTD.

Flat No. 8, 2nd Floor, Arif Chamber-V, Sector H, Aliganj, Lucknow - 226 024

Phone No. : (91-522) 2746282, 2745726 Telefax No.: (91 - 522) 2745726

E-mail: ravi.bhargava@gmail.com, Website: www.ecomen.in, CIN - U74210UP1989PTC010601, GSTIN : 09AAACE6076H1Z1

An approved Laboratory from Ministry of Environment, Forest and Climate Change, Govt. of India, New Delhi

FORMAT NO. : ECO/OS/D/FORMAT/03
REV. NO. : 00

:ECOLAB/D/S:12,13/08/20
ISSUE DATE: 24.08.2020

Aug-20

TEST REPORT OF STACK MONITORING

Name of Plant/Mines :

M/s Diamond Cements -Grinding Unit
(Prop. HeidelbergCement India Limited), Imlai, Damoh (M.P.)

Location	Imlai DG Set No.1	Imlai DG Set No.2
Date of Monitoring	13.08.2020	13.08.2020
Stack Details		
Material of Construction (Stack/Duct)	M.S.	M.S.
Stack Attached to	DG Set	DG Set
Capacity (KVA)	1000	1000
Stack Height above the Groundlevel (m)	30	30
Stack Top	Circular	Circular
Inside Diameter of Stack (m)	0.412	0.412
Cross sectional area of Duct/Stack (m ²)	0.133	0.133
Ambient Temp (°C)	34	30
Stack Gas Temp (°C)	219	212
Exit Velocity of Gas (m/sec.)	18.72	18.26
Flow Rate (Nm ³ / Hr)	5032.8	4575.6
Type of Fuel	HSD	HSD
Quantity of Fuel Consumption (Lit/Hr.)	45	45
Type of Firing	Automatic	Automatic
Lab Tasting		
Test Conducted		
Particulate Matter (PM) (mg/Nm ³) (Isokinetic Samples)	24.9	23.5
Nitrogen Dioxide NO ₂ ppm (v)	534	520
NMHC (as C) (at 15%O ₂), mg/Nm ³	42.5	40.2
CO (at 15%O ₂), mg/Nm ³	70.2	73.5

Checked by

Page No. 16

Authorized Signatory
Ecomen Laboratories Pvt. Ltd.
Flat No.-8, 2nd Floor, Arif Chamber-V
Sector-H, Aliganj, Lucknow-226024
Ph.-2746282, Fax:2745726

ECOMEN LABORATORIES PVT. LTD.

Flat No. 8, 2nd Floor, Arif Chamber-V, Sector H, Aliganj, Lucknow - 226 024

Phone No. : (91-522) 2746282, 2745726 Telefax No.: (91 - 522) 2745726

E-mail: ravi.bhargava@gmail.com, Website: www.ecomen.in, CIN - U74210UP1989PTC010601, GSTIN : 09AAACE6076H1Z1

ecoMen
LABORATORIES PVT. LTD.

An approved Laboratory from Ministry of Environment, Forest and Climate Change, Govt. of India, New Delhi

FORMAT NO. : ECO/QS/D/FORMAT/06
REV. NO. : 00

TEST REPORT NO. : ECO LAB/D/ELW:12338-12339/08/20
ISSUE DATE : 31.08.2020

Month: August 2020

TEST REPORT OF WASTE WATER ANALYSIS

Name of Plant/Mines : M/s Diamond Cements -Clinkerisation Unit
(Prop. Heidelbergcemen India Limited),Narsingarh Damoh (M.P.)

Date of Sample Collection : 24.08.2020

Source of Sample : Sewage Treatment Plant (STP)

Sl. No.	Parameters	Result		PCB Standards
		STP Inlet	STP Outlet	
1	pH	7.80	7.30	5.5 - 9.0
2	Total Suspended Solid (TSS)	325.6	6.1	10.0
3	Total Dissolved Solid (TDS)	740.0	328.5	-
4	Biochemical Oxygen Demand (3 days at 27 °C)	165.3	7.7	10.0
5	Chemical Oxygen Demand (COD)	250.6	24.4	50.0
6	Oil & Grease (O&G)	2.0	BDL	10.0
7	Sodium Adsorption Ratio (SAR)	1.4	1	-
8	Fecal Coliform (FC) MPN/100ml	-	95	1000

Note: All parameters are in mg/l except pH and SAR

Oil & Grease BDL < 1.0 (mg/l)


Checked by

Page No. 16


Authorized Signatory
Ecomen Laboratories Pvt. Ltd.
Flat No.-8, 2nd Floor, Arif Chamber-V
Sector-H, Aliganj, Lucknow-226024
Ph.-2746282, Fax:2745726

ECOMEN LABORATORIES PVT. LTD.

ecoMen
LABORATORIES PVT. LTD.

Flat No. 8, 2nd Floor, Arif Chamber-V, Sector H, Aliganj, Lucknow - 226 024

Phone No. : (91-522) 2746282, 2745726 Telefax No.: (91 - 522) 2745726

E-mail: ravi.bhargava@gmail.com, Website: www.ecomen.in, CIN - U74210UP1989PTC010601, GSTIN : 09AAACE6076H1Z1

An approved Laboratory from Ministry of Environment, Forest and Climate Change, Govt. of India, New Delhi

FORMAT NO. : ECO/QS/D/FORMAT/06
REV. NO. : 00

TEST REPORT NO. : ECO LAB/D/ELW:12340-12341/08/20
ISSUE DATE : 31.08.2020

Month: August 2020

TEST REPORT OF WASTE WATER ANALYSIS

Name of Plant/Mines : M/s Diamond Cements -Grinding Unit
(Prop. HeidelbergCement India Limited), Imlai, Damoh (M.P.)

Date of Sample Collection : 24.08.2020

Source of Sample : Sewage Treatment Plant (STP)

Sl. No.	Parameters	Result		PCB Standards
		STP Inlet	STP Outlet	
1	pH	7.90	7.20	5.5 - 9.0
2	Total Suspended Solid (TSS)	281.6	8.0	10.0
3	Total Dissolved Solid (TDS)	500.2	280.4	-
4	Biochemical Oxygen Demand (3 days at 27 °C)	167.5	8.1	10.0
5	Chemical Oxygen Demand (COD)	365.2	18.5	50.0
6	Oil & Grease (O&G)	2.2	BDL	10.0
7	Sodium Adsorption Ratio (SAR)	1.5	1.3	-
8	Fecal Coliform (FC) MPN/100ml	-	70	1000

Note: All parameters are in mg/l except pH and SAR

Oil & Grease BDL < 1.0 (mg/l)

Checked by

Page No. 17

Authorized Signatory
Ecomen Laboratories Pvt. Ltd.
Flat No.-8, 2nd Floor, Arif Chamber-V
Sector-H, Aliganj, Lucknow-226024
Ph:-2746282, Fax:2745726

ECOMEN LABORATORIES PVT. LTD.

ecoMen
LABORATORIES PVT. LTD.

Flat No. 8, 2nd Floor, Arif Chamber-V, Sector H, Aliganj, Lucknow - 226 024

Phone No. : (91-522) 2746282, 2745726 Telefax No.: (91 - 522) 2745726

E-mail: ravi.bhargava@gmail.com, Website: www.ecomen.in, CIN - U74210UP1989PTC010601, GSTIN : 09AAACE6076H1Z1

An approved Laboratory from Ministry of Environment, Forest and Climate Change, Govt. of India, New Delhi

FORMAT NO. : ECO/QS/D/FORMAT/06
REV. NO. : 00

TEST REPORT NO. : ECO LAB/D/ELW:12342/08/20
ISSUE DATE : 31.08.2020

Month: August 2020

TEST REPORT OF WASTE WATER ANALYSIS

Name of Plant/Mines : Lime Stone Mines, Patharia-Diamond Cements
(Prop. HeidelbergCement India Limited), Damoh (M.P.)

Date of Sample Collection : 24.08.2020

Source of Sample : Septic tank

Sl. No.	Parameters	Result	PCB Standards
1	pH	7.7	5.5 - 9.0
2	Total Suspended Solid (TSS)	8.5	10.0
3	Total Dissolved Solid (TDS)	445.3	-
4	Biochemical Oxygen Demand (3 days at 27 °C)	7.3	10.0
5	Chemical Oxygen Demand (COD)	28.6	50.0
6	Oil & Grease (O&G)	BDL	10.0
7	Chloride(Cl)	47.5	1000.0

Note: All parameters are in mg/l except pH and SAR

Oil & Grease BDL < 1.0 (mg/l)

Checked by

Page No. 18

Authorized Signatory
Ecomen Laboratories Pvt. Ltd.
Flat No.-8, 2nd Floor, Arif Chamber-V
Sector-H, Aliganj, Lucknow-226024
Ph.-2746282, Fax:2745726.

ECOMEN LABORATORIES PVT. LTD.

ecoMen
LABORATORIES PVT. LTD.

Flat No. 8, 2nd Floor, Arif Chamber-V, Sector H, Aliganj, Lucknow - 226 024

Phone No. : (91-522) 2746282, 2745726 Telefax No.: (91 - 522) 2745726

E-mail: ravi.bhargava@gmail.com, Website: www.ecomen.in, CIN - U74210UP1989PTC010601, GSTIN : 09AAACE6076H1ZI

An approved Laboratory from Ministry of Environment, Forest and Climate Change, Govt. of India, New Delhi

FORMAT NO. : ECO/QS/D/FORMAT/06
REV. NO. : 00

TEST REPORT NO. : ECO LAB/D/ELW:12343/08/20
ISSUE DATE : 31.08.2020

Month: August 2020

TEST REPORT OF WASTE WATER ANALYSIS

Name of Plant/Mines : Lime Stone Mines, Patharia-Diamond Cements
(Prop. HeidelbergCement India Limited), Damoh (M.P.)

Date of Sample Collection : 24.08.2020

Source of Sample : Oil & Grease Trap

Sl. No.	Parameters	Result	PCB Standards
1	pH	7.5	5.5 - 9.0
2	Total Suspended Solid (TSS)	7.4	10
3	Total Dissolved Solid (TDS)	530.5	-
4	Biochemical Oxygen Demand (3 days at 27 °C)	6.8	10
5	Chemical Oxygen Demand (COD)	19.5	50
6	Oil & Grease (O&G)	BDL	10

Note: All parameters are in mg/l except pH and SAR

Oil & Grease BDL < 1.0 (mg/l)

Checked by

Page No. 19

Authorized Signatory

Ecomen-Laboratories Pvt. Ltd.
Flat No.-8, 2nd Floor, Arif Chamber-V
Sector-H, Aliganj, Lucknow-226024
Ph.-2746282, Fax:2745726

ECOMEN LABORATORIES PVT. LTD.

ecoMen
LABORATORIES PVT. LTD.

Flat No. 8, 2nd Floor, Arif Chamber-V, Sector H, Aliganj, Lucknow - 226 024

Phone No. : (91-522) 2746282, 2745726 Telefax No.: (91 - 522) 2745726

E-mail: ravi.bhargava@gmail.com, Website: www.ecomen.in, CIN - U74210UP1989PTC010601, GSTIN : 09AAACE6076H1Z1

An approved Laboratory from Ministry of Environment, Forest and Climate Change, Govt. of India, New Delhi

FORMAT NO. : ECO/QS/D/FORMAT/06
REV. NO. : 00

TEST REPORT NO. : ECO LAB/D/ELW:12343/08/20
ISSUE DATE : 31.08.2020

Month: August 2020

TEST REPORT OF WATER ANALYSIS

Name of Plant/Mines : Lime Stone Mines, Patharia-Diamond Cements
(Prop. HeidelbergCement India Limited), Damoh (M.P.)

Date of Sample Collection : 24 08.2020

Source of Sample : Mine Pit

Sl. No.	Parameters	Result
1	pH	7.2
2	Suspended Solid	80.6
3	Total Dissolved Solid (TDS)	380.5
4	Total Hardness as CaCO ₃	450.7
5	Oil & Grease (O&G)	BDL
6	Fluoride as F	0.04
7	Calcium as CaCO ₃	274.4
8	Magnesium as CaCO ₃	176.3
9	Sodium as Na	12.8
10	Total Alkalinity	15.5
11	Potassium	1.5
12	Chloride as Cl	11.6
13	Total Organic Carbon (TOC)	1.5

Note: All parameters are in mg/l except pH

Oil & Grease BDL < 1.0 (mg/l)

Checked by

Page No. 20

Authorized Signatory
Ecomen Laboratories Pvt. Ltd.
Flat No.-8, 2nd Floor, Arif Chamber-V
Sector-H, Aliganj, Lucknow-226024
Ph.-2746282, Fax:2745726

ECOMEN LABORATORIES PVT. LTD.

ecoMen
LABORATORIES PVT. LTD.

Flat No. 8, 2nd Floor, Arif Chamber-V, Sector H, Aliganj, Lucknow - 226 024

Phone No. : (91-522) 2746282, 2745726 Telefax No.: (91 - 522) 2745726

E-mail: ravi.bhargava@gmail.com, Website: www.ecomen.in, CIN - U74210UP1989PTC010601, GSTIN : 09AAACE6076H1ZI

An approved Laboratory from Ministry of Environment, Forest and Climate Change, Govt. of India, New Delhi

FORMAT NO. : ECO/QS/D/FORMAT/06
REV. NO. : 00

TEST REPORT NO. : ECO LAB/D/ELW:12345/08/20
ISSUE DATE : 31.08.2020

Month: August 2020

TEST REPORT OF WASTE WATER ANALYSIS

Name of Plant/Mines : M/s Diamond Cements -Clinkerisation Unit
(Prop. Heidelbergcemen India Limited),Narsingarh Damoh (M.P.)

Date of Sample Collection : 24.08.2020

Source of Sample : Effluent Treatment Plant

Sl. No.	Parameters	Result	PCB Standards
1	pH	6.6	5.5 - 9.0
2	Total Suspended Solid (TSS)	18.4	100
3	Total Dissolved Solid (TDS)	505.5	2100
4	Biochemical Oxygen Demand (3 days at 27 °C)	3.6	30
5	Chemical Oxygen Demand (COD)	29.8	250
6	Oil & Grease (O&G)	BDL	10
7	Chlorides	270.6	1000

Note: All parameters are in mg/l except pH

Oil & Grease BDL < 1.0 (mg/l)

Checked by

Page No. 21

Authorized Signatory

Ecomen Laboratories Pvt. Ltd.
Flat No.-8, 2nd Floor, Arif Chamber-V
Sector-H, Aliganj, Lucknow-226024
Ph.-2746282, Fax:2745726

Data Report

FromTime : 01 Aug 2020 00:00:00 ToTime : 01 Sep 2020 00:00:00 Interval : hour

Patharia mines

Time	Diamond cements -- AAQMS1--PM10--µg/m3	Diamond cements -- AAQMS1--PM2.5--µg/m3	Diamond cements -- AAQMS1--SO2--µg/m3	Diamond cements -- AAQMS1--NO2--µg/m3	Diamond cements -- AAQMS1--CO--mg/m3
01 Aug 2020 00:00	15.18	9.36	63.7	10.28	0.08
01 Aug 2020 12:00	113.15	35.23	37.35	10.54	0.05
02 Aug 2020 00:00	168.84	27.46	36.97	10.54	0.05
02 Aug 2020 12:00	21.1	18.26	37.1	10.49	0.05
03 Aug 2020 00:00	10.37	17.06	37.29	10.49	0.05
03 Aug 2020 12:00	45.99	19.73	37.2	10.46	0.05
04 Aug 2020 00:00	36.93	22.33	37.52	10.49	0.05
04 Aug 2020 12:00	32.68	20.6	37.5	10.42	0.05
05 Aug 2020 00:00	12.31	17.11	37.33	10.42	0.06
05 Aug 2020 12:00	7.75	16.67	37.43	10.42	0.06
06 Aug 2020 00:00	6.49	15.75	37.25	10.43	0.05
06 Aug 2020 12:00	6.15	12.47	37.41	10.5	0.05
07 Aug 2020 00:00	12	19.2	37.53	10.47	0.05
07 Aug 2020 12:00	7.34	11.95	37.83	10.49	0.05
08 Aug 2020 00:00	6.43	9.51	37.87	10.55	0.05
08 Aug 2020 12:00	10.01	13.13	38.8	10.53	0.04
09 Aug 2020 00:00	22.55	19.77	39.15	10.5	0.05
09 Aug 2020 12:00	17.1	23.36	39.45	10.58	0.05
10 Aug 2020 00:00	6.49	10.58	39.14	10.49	0.05
10 Aug 2020 12:00	32.6	16.52	39.14	10.57	0.05
11 Aug 2020 00:00	47.11	19.3	39.35	10.57	0.05
11 Aug 2020 12:00	22.84	17.42	39.26	10.52	0.05
12 Aug 2020 00:00	14.14	17.3	39.69	10.48	0.05
12 Aug 2020 12:00	12.26	16.64	39.51	10.58	0.05
13 Aug 2020 00:00	7	10.47	39.64	10.5	0.05
13 Aug 2020 12:00	8.88	14.37	38.59	10.5	0.04
14 Aug 2020 00:00	8.75	14.43	38.63	10.51	0.05
14 Aug 2020 12:00	14.53	14.15	39.05	10.46	0.04
15 Aug 2020 00:00	3.64	7.83	39.08	10.51	0.04
15 Aug 2020 12:00	9.36	9.4	38.97	10.54	0.05
16 Aug 2020 00:00	13.47	10.13	39.21	10.52	0.05
16 Aug 2020 12:00	45.69	19.53	39.48	10.46	0.04
17 Aug 2020 00:00	15.87	15.98	39.48	10.52	0.05
17 Aug 2020 12:00	16.68	12.59	39.71	10.45	0.04
18 Aug 2020 00:00	6.09	10.89	42.27	10.63	0.04
18 Aug 2020 12:00	14.37	7.53	57.29	10.39	0.05
19 Aug 2020 00:00	3.05	2.93	56.58	10.42	0.07
19 Aug 2020 12:00	9.29	7.89	38.3	10.58	0.05
20 Aug 2020 00:00	9.56	13.09	38.12	10.53	0.05

20 Aug 2020 12:00	14.17	18.32	38.14	10.57	0.04
21 Aug 2020 00:00	12.03	14.74	38.63	10.55	0.04
21 Aug 2020 12:00	44.92	13.42	38.91	10.53	0.04
22 Aug 2020 00:00	1.49	6.13	39.07	10.6	0.04
22 Aug 2020 12:00	0.92	5.1	39.26	10.57	0.03
23 Aug 2020 00:00	1.36	8.61	39.39	10.51	0.03
23 Aug 2020 12:00	73.5	13	39.15	10.49	0.03
24 Aug 2020 00:00	6.56	8.81	39.61	10.54	0.03
24 Aug 2020 12:00	42.56	16.2	39.67	10.59	0.04
25 Aug 2020 00:00	26.54	15.53	39.75	10.49	0.03
25 Aug 2020 12:00	82.33	14.92	39.65	10.53	0.03
26 Aug 2020 00:00	37.96	17.74	39.77	10.51	0.04
26 Aug 2020 12:00	60.51	17.23	39.97	10.56	0.03
27 Aug 2020 00:00	20.75	19.21	39.99	10.52	0.04
27 Aug 2020 12:00	10.76	14.2	40.49	10.56	0.04
28 Aug 2020 00:00	10.37	16.15	40.33	10.55	0.04
28 Aug 2020 12:00	8.62	15.5	40.83	10.53	0.04
29 Aug 2020 00:00	8.92	10.99	40.17	10.56	0.04
29 Aug 2020 12:00	1.16	7.77	40.08	10.57	0.03
30 Aug 2020 00:00	2.76	6.4	40.48	10.52	0.03
30 Aug 2020 12:00	6.84	9.33	41.03	10.52	0.04
31 Aug 2020 00:00	9.63	11.37	40.24	10.55	0.04
31 Aug 2020 12:00	117.22	19.81	40.84	10.53	0.04

Data Report

FromTime : 01 Aug 2020 00:00:00 ToTime : 01 Sep 2020 00:00:00 Interval : hour

Narsingarh worker coloney

Time	Diamond cements -- AAQMS2--PM10-- µg/m3	Diamond cements -- AAQMS2--PM2.5-- µg/m3	Diamond cements -- AAQMS2--SO2-- µg/m3	Diamond cements -- AAQMS2--NO2-- µg/m3	Diamond cements -- AAQMS2--CO-- mg/m3
01 Aug 2020 00:00	14.74	8.63	50.01	24.78	0.01
01 Aug 2020 12:00	20.09	11.01	50.52	24.79	0.01
02 Aug 2020 00:00	11.93	7.13	53.03	24.74	0.02
02 Aug 2020 12:00	13	10.76	52.64	24.82	0.02
03 Aug 2020 00:00	12.47	10.85	53.73	24.68	0.03
03 Aug 2020 12:00	19.33	12.73	53.22	24.87	0.03
04 Aug 2020 00:00	17.86	12.01	54.55	24.64	0.03
04 Aug 2020 12:00	18.58	13.83	55.16	24.67	0.03
05 Aug 2020 00:00	19.33	11.64	55.19	24.7	0.04
05 Aug 2020 12:00	23.3	9.84	48.35	24.72	0.03
06 Aug 2020 00:00	26.42	13.51	47.88	24.78	0.03
06 Aug 2020 12:00	14.61	12.34	47.87	24.7	0.02
07 Aug 2020 00:00	27.59	15.82	47.82	24.8	0.02
07 Aug 2020 12:00	10.57	9.67	47.48	24.74	0.02
08 Aug 2020 00:00	8.08	6.5	47.63	24.78	0.01
08 Aug 2020 12:00	13.34	9.2	47.83	24.75	0.02
09 Aug 2020 00:00	19.23	14.35	48.25	24.74	0.02
09 Aug 2020 12:00	20.37	12.63	48.49	24.8	0.02
10 Aug 2020 00:00	8.38	6.66	48.53	24.91	0.01
10 Aug 2020 12:00	13.24	12.03	48.62	24.83	0.03
11 Aug 2020 00:00	15.89	13.58	48.68	24.75	0.02
11 Aug 2020 12:00	10.68	12.58	48.82	24.8	0.02
12 Aug 2020 00:00	21.88	15.7	48.97	24.84	0.01
12 Aug 2020 12:00	14.84	12.38	49.1	24.84	0.03
13 Aug 2020 00:00	7.86	5.18	49.22	24.78	0.02
13 Aug 2020 12:00	10.67	9.62	49.15	24.76	0.01
14 Aug 2020 00:00	5.32	7.29	49.24	24.93	0.02
14 Aug 2020 12:00	7.9	8.79	49.38	24.61	0.02
15 Aug 2020 00:00	6.14	7.48	49.56	24.81	0.02
15 Aug 2020 12:00	7.45	5.92	49.56	24.79	0.02
16 Aug 2020 00:00	10.08	6.84	49.56	24.75	0.02
16 Aug 2020 12:00	17.29	15.67	47.47	24.7	0.02
17 Aug 2020 00:00	16.38	13.93	43.81	24.78	0.02
17 Aug 2020 12:00	15.19	9.71	46.96	24.9	0.03
18 Aug 2020 00:00	6.87	5.45	49.99	24.81	0.02
18 Aug 2020 12:00	10.58	8.97	49.97	24.73	0.03
19 Aug 2020 00:00	7.59	7.88	50.16	24.76	0.01
19 Aug 2020 12:00	20.8	12.52	50.32	24.83	0.03
20 Aug 2020 00:00	14.75	10.25	50.37	24.82	0.03
20 Aug 2020 12:00	24.5	14.25	50.17	24.76	0.03
21 Aug 2020 00:00	12.87	9.25	50.23	24.73	0.02

21 Aug 2020 12:00	24.95	12.59	50.4	24.71	0.05
22 Aug 2020 00:00	6.13	4	50.5	24.86	0.02
22 Aug 2020 12:00	9.17	2.88	50.49	24.84	0.02
23 Aug 2020 00:00	6.13	4.35	50.66	24.82	0.02
23 Aug 2020 12:00	10.71	7.12	50.56	24.86	0.01
24 Aug 2020 00:00	11.24	7.75	50.69	24.91	0.01
24 Aug 2020 12:00	12.68	10.21	50.78	24.87	0.02
25 Aug 2020 00:00	15.72	8.72	54.32	24.51	0.01
25 Aug 2020 12:00	11.53	6.54	86.44	22.93	0.01
26 Aug 2020 00:00	17.2	8.42	88.3	23.3	0.03
26 Aug 2020 12:00	38.04	14.67	70.25	24.84	0.02
27 Aug 2020 00:00	14.46	11.16	71.04	24.8	0.01
27 Aug 2020 12:00	13.1	5.92	92.41	23.47	0.01
28 Aug 2020 00:00		8.33	82.72	23.66	0.02
28 Aug 2020 12:00		15	23.58	24.79	0.05
29 Aug 2020 00:00		8.2	20.37	24.85	0.01
29 Aug 2020 12:00	5.26	4.6	13.68	24.89	0.01
30 Aug 2020 00:00	3.47	3.95	13.44	24.84	0.01
30 Aug 2020 12:00	9.37	8.3	13.52	24.76	0.02
31 Aug 2020 00:00	16.87	10.15	13.49	24.76	0.01
31 Aug 2020 12:00	32.94	8.53	11.65	24.78	0.01

Data Report

FromTime : 01 Aug 2020 00:00:00 ToTime : 01 Sep 2020 00:00:00 Interval : hour

Narsingarh Hospital

Time	Diamond cements -- AAQMS3--PM-10-- µg/m3	Diamond cements -- AAQMS3--PM-2.5-- µg/m3	Diamond cements -- AAQMS3--CO-- mg/m3	Diamond cements -- AAQMS3--NO2-- µg/m3	Diamond cements -- AAQMS3--SO2-- µg/m3
01 Aug 2020 00:00	27.24	11.98	0.16	6.41	20.53
01 Aug 2020 12:00	39.58	14.12	0.16	5.95	21.27
02 Aug 2020 00:00	40.89	12.56	0.16	6.16	21.1
02 Aug 2020 12:00	32.94	13.39	0.19	6.06	22.52
03 Aug 2020 00:00	38.99	14.08	0.21	6.02	22.2
03 Aug 2020 12:00	45.37	17.17	0.19	5.89	22.44
04 Aug 2020 00:00	38.3	17.33	0.2	5.92	22.93
04 Aug 2020 12:00	36.09	16.71	0.21	6.21	23.47
05 Aug 2020 00:00	33.89	15.64	0.2	6.51	23.24
05 Aug 2020 12:00	16.08	10.9	0.18	6	24.23
06 Aug 2020 00:00	19.33	13.6	0.17	5.94	23.51
06 Aug 2020 12:00	22.15	13.88	0.16	6.37	24.23
07 Aug 2020 00:00	25.67	16.92	0.15	5.88	24.02
07 Aug 2020 12:00	27.17	12.63	0.17	6.06	25.35
08 Aug 2020 00:00	29.87	10.57	0.16	6.23	24.78
08 Aug 2020 12:00	51.48	13.55	0.17	6.22	25.85
09 Aug 2020 00:00	37.52	15.1	0.16	6.51	25.27
09 Aug 2020 12:00	38.72	17.76	0.17	6.15	26.09
10 Aug 2020 00:00	21.02	9.13	0.15	6.25	26.07
10 Aug 2020 12:00	46.75	15.39	0.19	5.9	26.88
11 Aug 2020 00:00	39.83	16.05	0.18	5.8	26.42
11 Aug 2020 12:00	43.65	17.36	0.19	6.4	26.18
12 Aug 2020 00:00	54.08	17.17	0.17	6.25	25.88
12 Aug 2020 12:00	34.67	15.13	0.2	6.12	26.31
13 Aug 2020 00:00	28.52	9.95	0.18	6.5	26.37
13 Aug 2020 12:00	30.03	15.26	0.18	6.33	26.91
14 Aug 2020 00:00	19.43	6.75	0.16	6.18	25.48
14 Aug 2020 12:00	20.9		0.16	5.83	25.13
15 Aug 2020 00:00	20.69		0.16	5.73	24.46
15 Aug 2020 12:00	26.2		0.18	5.97	25.51
16 Aug 2020 00:00	28.91		0.16	5.71	24.98
16 Aug 2020 12:00	44.42	32	0.19	5.89	26.4
17 Aug 2020 00:00	32.52	13	0.16	6.11	25.99
17 Aug 2020 12:00	22.67	9.79	0.17	6.01	32.5
18 Aug 2020 00:00	27.23	10.26	0.18	6.53	32.12
18 Aug 2020 12:00	23.58	12.12	0.21	6.06	32.87
19 Aug 2020 00:00	26.77	8.43	0.17	6.35	31.94
19 Aug 2020 12:00	22.09	11.14	0.17	6.1	33.66
20 Aug 2020 00:00	25.25	14.37	0.2	6.04	32.29

20 Aug 2020 12:00	21.85	14.76	0.17	6.22	33.94
21 Aug 2020 00:00	17.35	10.39	0.17	6.06	32.21
21 Aug 2020 12:00	38.82	11.54	0.19	6.32	32.89
22 Aug 2020 00:00	12.04	5.77	0.14	6.66	33.1
22 Aug 2020 12:00	15.87	8.55	0.13	5.95	34.22
23 Aug 2020 00:00	13.97	6.03	0.13	6.62	33
23 Aug 2020 12:00	28.28	10.87	0.13	6.37	34.89
24 Aug 2020 00:00	23.84	10.64	0.13	6.2	34.47
24 Aug 2020 12:00	44.44	14.18	0.16	6.26	36.4
25 Aug 2020 00:00	43.37	13.1	0.17	6.39	35.81
25 Aug 2020 12:00	72.45	13.8	0.17	6.11	36.48
26 Aug 2020 00:00	70.82	16.92	0.17	6.5	37.1
26 Aug 2020 12:00	46.9	18.29	0.16	6.32	36.42
27 Aug 2020 00:00	23.72	10.65	0.13	6.23	35.85
27 Aug 2020 12:00	16.84	10.78	0.16	6.41	37.3
28 Aug 2020 00:00	12.26	16.3	0.19	6.25	34.88
28 Aug 2020 12:00		16.79	0.18	6.39	34.45
29 Aug 2020 00:00		11.43	0.16	6.22	35.92
29 Aug 2020 12:00	8.46	5.15	0.15	6.02	45.76
30 Aug 2020 00:00	15.16	5.03	0.12	5.83	37.77
30 Aug 2020 12:00	19.74	8.83	0.14	6.28	20.16
31 Aug 2020 00:00	27.33	11.83	0.18	6.41	19.75
31 Aug 2020 12:00	33.17	11.94	0.17	6.44	20.7

Report Name : Average Report

From: 01-08-2020 - 00:00:00 To: 31-08-2020 - 23:59:00

Date (DD-MM-YYYY)	AAQMS_1 PM10 (ug/m3)Normalized	AAQMS_1 SO2 (ug/m3)Normalized	AAQMS_1 NO2 (ug/m3)Normalized	AAQMS 1 PM2.5 (ug/m3) Normalized	AAQMS_1 NOx (ug/m3)Normalized	AAQMS_1 NO (ug/m3)Normalized
Avg	51.68	27.83	1.53	14.29	4.54	2.13
Min	5.84	26.07	1.49	2.38	4.49	2.11
Max	149.44	29.67	1.57	36.50	4.63	2.18
Geom.Mean	51.68	27.83	1.53	14.29	4.54	2.13
Median	42.52	0.96	0.02	9	0.03	0.01
Mode	58.09	26.81	1.52	22.06	4.53	2.13
Std.Deviation	31.54	27.68	1.52	13.32	4.53	2.13
Prescribed Standard	100.0	100.0	100.0	100.0	100.0	100.0
First Max occurred at	13-08-2020	31-08-2020	26-08-2020	04-08-2020	01-08-2020	01-08-2020
First Min occurred at	22-08-2020	01-08-2020	19-08-2020	22-08-2020	19-08-2020	28-08-2020
Valid Data Points	29	29	29	29	29	29
Total Data Points	29	29	29	29	29	29
Data Availability %	100	100	100	100	100	100
Uncertainty	0	0	0	0	0	0
01-08-2020	58.09	26.07	1.56	22.06	4.63	2.18
04-08-2020	81.32	26.76	1.56	36.5	4.58	2.13
05-08-2020	22.03	26.8	1.5	13.36	4.52	2.13
06-08-2020	20.42	26.81	1.52	15.25	4.53	2.14
07-08-2020	21.5	26.81	1.52	13.95	4.5	2.12
08-08-2020	46.79	27	1.54	17.15	4.56	2.15
09-08-2020	133.29	27.02	1.51	31.21	4.54	2.15
10-08-2020	122.12	27	1.51	24.34	4.52	2.13
11-08-2020	55.63	27.02	1.51	18.97	4.51	2.13
12-08-2020	112.26	27.27	1.56	27.81	4.59	2.15
13-08-2020	149.44	27.22	1.52	26.25	4.53	2.13
14-08-2020	30.07	27.42	1.51	11.06	4.53	2.14
15-08-2020	30.9	27.6	1.53	10.16	4.54	2.13

16-08-2020	107.83	27.68	1.51	22.67	4.53	2.14
17-08-2020	71.39	27.68	1.54	18.52	4.55	2.13
18-08-2020	121.56	27.74	1.56	20.18	4.57	2.14
19-08-2020	67	27.8	1.49	13.32	4.49	2.13
20-08-2020	26.56	27.96	1.52	8.38	4.53	2.14
21-08-2020	7.31	28.04	1.53	4.96	4.56	2.14
22-08-2020	5.84	28.17	1.52	2.38	4.55	2.15
23-08-2020	8.63	28.27	1.52	3.93	4.53	2.13
24-08-2020	15.24	28.38	1.56	6.76	4.56	2.12
25-08-2020	31.54	28.41	1.54	7.77	4.57	2.14
26-08-2020	56.23	28.79	1.57	11.33	4.59	2.14
27-08-2020	38.4	29.34	1.54	6.96	4.52	2.12
28-08-2020	13.39	29.36	1.52	6.29	4.49	2.11
29-08-2020	27.07	29.47	1.57	5.25	4.55	2.11
30-08-2020	6.89	29.52	1.52	3.01	4.5	2.11
31-08-2020	10.05	29.67	1.52	4.56	4.5	2.11

Report Name : Average Report(Continued)

Date (DD-MM-YYYY)	AAQMS_1 CO (mg/m3)Normalized
Avg	0.27
Min	0.24
Max	0.31
Geom.Mean	0.27
Median	0.02
Mode	0.26
Std.Deviation	0.26
Prescribed Standard	100.0
First Max occurred at	28-08-2020
First Min occurred at	01-08-2020
Valid Data Points	29
Total Data Points	29
Data Availability %	100
Uncertainty	0
01-08-2020	0.24
04-08-2020	0.26
05-08-2020	0.28
06-08-2020	0.29
07-08-2020	0.24
08-08-2020	0.25
09-08-2020	0.26
10-08-2020	0.26
11-08-2020	0.26
12-08-2020	0.26
13-08-2020	0.26
14-08-2020	0.26
15-08-2020	0.26
16-08-2020	0.26
17-08-2020	0.27

18-08-2020	0.27
19-08-2020	0.26
20-08-2020	0.28
21-08-2020	0.28
22-08-2020	0.25
23-08-2020	0.24
24-08-2020	0.25
25-08-2020	0.26
26-08-2020	0.27
27-08-2020	0.28
28-08-2020	0.31
29-08-2020	0.29
30-08-2020	0.27
31-08-2020	0.28

Report Name : Average Report

From: 01-08-2020 - 00:00:00 To: 31-08-2020 - 23:59:00

Date (DD-MM-YYYY)	AAQMS_2 NOx (ug/m3)Normalized	AAQMS_2 NO (ug/m3)Normalized	AAQMS_2 CO (mg/m3)Normalized	AAQMS_2 SO2 (ug/m3)Normalized	AAQMS_2 NO2 (ug/m3)Normalized	AAQMS_2 PM2.5 (ug/m3) Normalized
Avg	4.44	2.21	0.08	17	1.24	8.64
Min	4.27	2.07	0.04	11.00	1.19	1.00
Max	4.52	2.25	0.13	18.80	1.28	15.55
Geom.Mean	4.44	2.21	0.08	17	1.24	8.64
Median	0.06	0.05	0.02	3.07	0.03	4.43
Mode	4.41	2.23	0.08	18.61	1.27	15.33
Std.Deviation	4.45	2.23	0.08	18.61	1.24	7.07
Prescribed Standard	100.0	100.0	100.0	100.0	100.0	100.0
First Max occurred at	21-08-2020	25-08-2020	14-08-2020	14-08-2020	14-08-2020	06-08-2020
First Min occurred at	14-08-2020	14-08-2020	01-08-2020	01-08-2020	04-08-2020	16-08-2020
Valid Data Points	31	31	31	31	31	29
Total Data Points	31	31	31	31	31	31
Data Availability %	100	100	100	100	100	93
Uncertainty	0	0	0	0	0	0
01-08-2020	4.41	2.22	0.04	11	1.2	15.33
02-08-2020	4.43	2.23	0.04	11	1.21	14.26
03-08-2020	4.4	2.21	0.04	11	1.21	14.7
04-08-2020	4.39	2.21	0.04	11	1.19	13.97
05-08-2020	4.41	2.21	0.05	11	1.21	12.27
06-08-2020	4.41	2.21	0.05	11	1.22	15.55
07-08-2020	4.4	2.23	0.04	13.5	1.19	15.27
08-08-2020	4.44	2.23	0.05	18.62	1.22	9.73
09-08-2020	4.45	2.22	0.09	18.61	1.23	14.48
10-08-2020	4.44	2.23	0.09	18.61	1.22	7.36
11-08-2020	4.46	2.23	0.08	18.61	1.22	11.05
12-08-2020	4.44	2.23	0.08	18.61	1.22	11.85
13-08-2020	4.37	2.14	0.1	18.73	1.27	5.64

14-08-2020	4.27	2.07	0.13	18.8	1.28	1.57
15-08-2020	4.3	2.09	0.11	18.75	1.28	0
16-08-2020	4.28	2.07	0.12	18.79	1.28	1
17-08-2020	4.41	2.17	0.1	18.67	1.28	10.47
18-08-2020	4.49	2.23	0.09	18.61	1.27	4.77
19-08-2020	4.51	2.24	0.09	18.61	1.27	4.83
20-08-2020	4.51	2.24	0.09	18.61	1.27	7.07
21-08-2020	4.52	2.23	0.09	18.61	1.28	6.05
22-08-2020	4.49	2.23	0.08	18.61	1.26	4.54
23-08-2020	4.49	2.24	0.08	18.61	1.26	5.13
24-08-2020	4.5	2.23	0.08	18.61	1.28	4.02
25-08-2020	4.49	2.25	0.08	18.61	1.26	5.3
26-08-2020	4.5	2.24	0.08	18.61	1.27	6.44
27-08-2020	4.5	2.23	0.08	18.64	1.27	5.4
28-08-2020	4.47	2.23	0.08	18.64	1.24	0
29-08-2020	4.46	2.24	0.07	18.61	1.23	4.39
30-08-2020	4.47	2.24	0.08	18.61	1.23	6.3
31-08-2020	4.48	2.25	0.08	18.61	1.24	11.75

Report Name : Average Report(Continued)

Date (DD-MM-YYYY)	AAQMS_2 PM10 (ug/m3)Normalized
Avg	19.42
Min	0.00
Max	61.85
Geom.Mean	19.42
Median	15.25
Mode	31.5
Std.Deviation	17.02
Prescribed Standard	100.0
First Max occurred at	06-08-2020
First Min occurred at	29-08-2020
Valid Data Points	30
Total Data Points	31
Data Availability %	96
Uncertainty	0
01-08-2020	31.5
02-08-2020	25.01
03-08-2020	24.63
04-08-2020	19.91
05-08-2020	38.46
06-08-2020	61.85
07-08-2020	60.67
08-08-2020	15.29
09-08-2020	25.22
10-08-2020	12.3
11-08-2020	17.02
12-08-2020	21.14
13-08-2020	25.7
14-08-2020	35.18
15-08-2020	5.38

16-08-2020	13.63
17-08-2020	24.3
18-08-2020	5.3
19-08-2020	11.4
20-08-2020	15.24
21-08-2020	28.63
22-08-2020	8.94
23-08-2020	6.26
24-08-2020	10.43
25-08-2020	0.5
26-08-2020	6.49
27-08-2020	0.34
28-08-2020	0
29-08-2020	0
30-08-2020	4.67
31-08-2020	26.57

DIAMOND CEMENTS - DAMOH
PERFORMANCE OF ESPs/ BAG HOUSES

Aug-20

PCM ATTACHED TO	Plant Operation		PCM Operation		PCM Stoppage Hrs.	No. OF		% OF		Remarks
	Hrs.	Min	Hrs.	Min		ESP	Trippings	ESP	R.Hrs	
ESP To KILN NO. 1 + RAW MILL NO.1	394	50	394	50	0.000	0	0	100.00		
ESP To KILN NO. 2 + RAW MILL NO. 2	236	5	236	5	0.000	0	0	100.00		
REVERSE AIR BAG HOUSE(RABH) To KILN NO. 3 + RAW MILL NO. 3	740	13	740	13	0.000	0	0			
BAG HOUSE To COAL MILL NO. 1	316	55	316	55	0.000	0	0			
BAG HOUSE To COAL MILL NO. 2	222	0	222	0	0.000	0	0			
BAG HOUSE To COAL MILL NO. 3	650	25	650	25	0.000	0	0			
ESP To COOLER NO. 1	394	50	394	50	0.000	0	0	100.00		
ESP To COOLER NO. 2	236	5	236	5	0.000	0	0	100.00		
ESP To COOLER NO. 3	740	13	740	10	0.042	2	2	99.99		
BAG HOUSE To CEMENT MILL NO. 1	589	9	589	9	0.000	0	0			
BAG HOUSE To CEMENT MILL NO. 2	682	45	682	45	0.000	0	0			
BAG HOUSE To CEMENT MILL NO. 3	70	45	70	45	0.000	0	0			

DIAMOND CEMENTS DAMOH

Energy Meter Reading

Month : August - 20

S.No.	Location	Month	Consumption (KWH)	Remarks, If Any
Clinkerisation Unit Narsingarh				
1	Hybrid ESP For KILN/ RAW MILL NO.1	Aug-20	4200	
2	Hybrid ESP For KILN/ RAW MILL NO.2	Aug-20	5789	
3	RABH For KILN / RAW MILL NO. 3	Aug-20	180003	
4	ESP For COOLER NO. 1	Aug-20	18120	
5	ESP For COOLER NO. 2	Aug-20	11580	
6	ESP For COOLER NO. 3	Aug-20	11200	
7	BAG HOUSE For COAL MILL NO. 1	Aug-20	47699	
8	BAG HOUSE For COAL MILL NO. 2	Aug-20	31980	
9	BAG HOUSE For COAL MILL NO. 3	Aug-20	180320	
10	SEWAGE TREATMENT PLANT	Aug-20	8921	
Grinding Unit Imlai				
1	BAG HOUSE For CEMENT MILL NO. 1	Aug-20	6221	
2	BAG HOUSE For CEMENT MILL NO. 2	Aug-20	14522	
3	BAG HOUSE For CEMENT MILL NO. 3	Aug-20	6817	
4	SEWAGE TREATMENT PLANT	Aug-20	12850	

ABBREVIATIONS

S. No.	Abbreviation	Full Form
1.	SPM	Suspended Particulate Matter
2.	RABH	Reverse Air Bag House
3.	PM	Particulate Matter
4.	PM ₁₀	Particulate Matter of less than 10 micron size
5.	PM _{2.5}	Particulate Matter of less than 2.5 micron size
6.	SO ₂	Sulphur Dioxide
7.	NO ₂	Nitrogen Dioxide
8.	CO	Carbon Monoxide
9.	AAQMS	Ambient Air Quality Monitoring Station
10.	BDL	Below Detection Limit
11.	dB	Decibel
12.	°C	Degree Centigrade
13.	m/sec	Meter per second
14.	m ²	Meter square
15.	Nm ³ /sec	Normal cubic meter per second
16.	µg/m ³	Micro Grams per cubic meter
17.	mg/Nm ³	Milli Grams per Normal cubic meter
18.	mg/l	Milli Grams per liter



**National Accreditation Board for
Testing and Calibration Laboratories**
(A Constituent Board of Quality Council of India)



CERTIFICATE OF ACCREDITATION

ECOMEN LABORATORIES PVT. LTD.

has been assessed and accredited in accordance with the standard

ISO/IEC 17025:2005

"General Requirements for the Competence of Testing & Calibration Laboratories"

for its facilities at

Flat 5-8, IIInd Floor, Arif Chamber V, Sector-H, Aliganj,
Lucknow, Uttar Pradesh

in the field of

TESTING

Certificate Number TC-7587 (in lieu of T-2202)

Issue Date 25/07/2018

Valid Until 24/07/2020

This certificate remains valid for the Scope of Accreditation as specified in the annexure subject to continued satisfactory compliance to the above standard & the relevant requirements of NABL.

(To see the scope of accreditation of this laboratory, you may also visit NABL website www.nabl-india.org)

Signed for and on behalf of NABL



89076970100030001777

Anil Relia

Anil Relia
Chief Executive Officer



National Accreditation Board for Testing and Calibration Laboratories

(A Constituent Board of Quality Council of India)



26.06.2020

Extension in Validity of Accreditation

NABL Policy: It is decided to extend the validity of accreditation for a period of one year to all conformity assessment bodies (CABs) where renewal of accreditation is to take place and accreditation validity date is between 01.01.2020 and 30.06.2022 **subject to the following:**

1. Providing satisfactory documents based on NABL-218 wrt compliance to the requirements of the relevant Standard and NABL requirements.
2. The CABs are required to conduct additional internal audit to ensure compliance with the standard requirements (by increasing the existing frequency of their audit plan) and submit the document.
3. The CABs are required to provide control charts and trends for assuring the validity of results.
4. CABs are required to provide an undertaking to undergo unannounced assessment (onsite and/or remotely, depending on the situation) and actions as per NABL-216 thereof, at any point of time during the validity period.
5. Making payment of **annual accreditation fee** for the extended period.

Examples:

- Accredited CABs with date of issue 15.01.2018 and valid till 14.01.2020, then their Accreditation validity will be extended till 14.01.2021.
- Accredited CABs with date of issue 15.02.2019 and valid till 14.02.2021, then their Accreditation validity will be extended till 14.02.2022.
- Accredited CABs with date of issue 15.06.2020 and valid till 14.06.2022, then their Accreditation validity will be extended till 14.06.2023

NOTE:

1. The above will be applicable to the laboratories for which transition to ISO/IEC 17025:2017 version has been completed. For the laboratories which are accredited as per ISO/IEC 17025:2005 version, they have to undergo transition assessment (onsite and/or remotely, depending on the situation) and follow transition plan defined.
2. The above is not applicable to CABs where there will be a change in name of CAB and/or legal identity change and/or Premises change.
3. Also, **the above is not applicable to the CABs which are not registered in portal** (exemption- International accredited CABs).
4. Routine assessments will take place for any scope extension /addition.
5. Payment due to NABL can be deferred (postpone the payment) upto a period of Six (6) months. There will be no waive-off of any fee for any CABs. If payments are not made, then action as per procedure (NABL-216) will be initiated. There will be no relaxations wrt payment from 01.01.2021.

N.Venkateswaran
CEO, NABL



CERTIFICATE

This is to Certify that the
Occupational Health & Safety Management System
of

ECOMEN LABORATORIES PVT. LTD.

FLAT NO. 5/8, 2ND FLOOR, AIRP CHAMBER-V, SECTOR-H,
ALIGANI, LUCKNOW-226024, (U.P.) INDIA

has been independently assessed and is compliant
with the requirements of

OHSAS 18001:2007

This Certificate is applicable to the following product or service ranges:

ENVIRONMENTAL MONITORING, STUDIES, TESTING SERVICES IN
CHEMICAL FIELD, ENVIRONMENTAL IMPACT ASSESSMENT,
ENVIRONMENTAL MANAGEMENT PLAN AND
CONSULTANCY SERVICES

Certificate No. IN/32538C

LAS UID No. MSCB-13276321

Date of initial registration 15 July 2015

Date of this Certificate 14 July 2018

Surveillance audit on or before 14 July 2019

Recertification Due / Certificate expiry 14 July 2021

This Certificate is property of LMS Certifications and remains valid
subject to satisfactory surveillance audits.

[Signature]
Director

For verification and updated information concerning this document, please visit www.lmscert.com
This Certificate is the property of LMS Certification Limited and shall be returned immediately when demanded.



LMS Certification Limited
35 Park Hill, Huddersfield, West Yorkshire, HD2 1QS
Phone: +44 2089355094
Visit: www.lmscert.com

